



## **Badoit Sparkling Natural Mineral Water – Annual Water Quality Report**

At Badoit we are proud of the quality of our products. Badoit Sparkling Natural Mineral Water meets or exceeds all bottled water standards for quality and safety at the Federal and state level. The US Food and Drug Administration (FDA) regulates bottled water as a food. Our scientists and independent certified laboratories perform extensive tests on the water source and finished bottled water product to ensure we exceed or are compliant with all Federal and state bottled water requirements.

In addition to existing stringent regulatory standards, the International Bottled Water Association (IBWA) maintains a strict Model Code of quality for its members. Badoit is a member of IBWA and meets or exceeds the quality requirements of the IBWA's Model Code. Additionally, we take pride in the fact that our bottled water production plant is annually inspected, on an unannounced basis, by an independent testing organization, NSF International (NSF). Based on unannounced annual plant inspections and product testing, NSF certifies that Badoit Sparkling Natural Mineral Water complies with federal and state bottled water regulations and IBWA's Model Code. NSF is located in Ann Arbor, Michigan. For more information about IBWA and NSF, please visit their websites at <http://www.bottledwater.org> and <http://www.nsf.org> or call IBWA at 1-800-WATER-11 and NSF at 1-800-673-6275.

### **Badoit Sparkling Natural Mineral Water Source**

Badoit Sparkling Natural Mineral Water comes from the St. Galmier Spring located in the Plaine du Forez region, a remarkably flat valley bounded by mountains in southeastern France. Badoit Sparkling Natural Mineral Water is naturally filtered as it slowly trickles down through layers granite bedrock. As the water filters through the granite aquifer, it absorbs natural minerals. The carbon dioxide in Badoit Sparkling Natural Mineral Water is

harvested from the aquifer from which the water is collected.

### **Badoit Sparkling Natural Mineral Water Bottling**

Badoit Sparkling Natural Mineral Water is bottled exclusively at its protected source – the St. Galmier Spring. Badoit's source is approved by several regulatory agencies based on a detailed and extensive review. To ensure the purity and consistency of Badoit, automated bottling equipment is maintained under strict sanitary conditions and a quality control laboratory conducts several hundred quality tests daily, both at the water source and finished bottled water product.

### **Badoit Sparkling Natural Mineral Water Additional Safety Measures**

Badoit Sparkling Natural Mineral Water is subjected to a Greensand Filtration during which manganese coated sands reduce certain naturally present minerals from source water.

### **Water Quality Data**

Attached is a copy of our most recent extensive water quality testing conducted by the independent certified laboratory, NSF. The NSF Report lists the water quality test results for over 175 substances including inorganics (metals, minerals, etc.), organics (pesticides, herbicides, etc.) and microbials as well as physical parameters. Badoit Sparkling Natural Mineral Water is analyzed for both regulated and unregulated substances. This Report contains the substance analyzed, approved test method used, test result, minimum detection limit, measurement unit, date analyzed and FDA Quality Standard for bottled water, if applicable. The FDA Quality Standards are the maximum allowable levels for over 80 substances in bottled water.

**Badoit Sparkling Natural Mineral Water is in full compliance with all applicable federal, state and industry bottled water standards.**

**For more information about Badoit Sparkling Natural Mineral Water, call 1-800-443-3553 or write to us at Badoit Consumer Care, PO Box 1625, Horsham, PA 119044**

# California Bottled Water Report

## THE STATE OF CALIFORNIA REQUIRES THE FOLLOWING INFORMATION TO BE PROVIDED TO BOTTLED WATER CONSUMERS, UPON REQUEST

Badoit Sparkling Natural Mineral Water  
Danone Eaux France – Source Badoit  
c/o Danone Waters of America, Inc.  
100 Hillside Avenue  
White Plains, NY 10603  
1-800-443-3553

### Source: St. Galmier Spring

#### Terms:

“statement of quality” – The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

“maximum contaminant level (MCL)” – The highest level of a contaminant that is allowed in drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health. Primary MCLs are set as close to the PHGs as is economically and technologically feasible.

“public health goal (PHG)” – The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

“primary drinking water standard” – MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Treatment Processes:** Badoit Sparkling Natural Spring Water is treated with Greensand Filtration – the use of manganese coated sands to reduce certain naturally present minerals from source water.

**FDA’s website for recalls:** <http://www.fda.gov/opacom/7alerts.html>

**Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and cannot be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health. The following statements are required under California law:**

*“Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366).”*

# California Bottled Water Report

*"Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791)."*

*"The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:*

- 1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.*
- 2. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.*
- 3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.*
- 4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.*
- 5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities."*

*"In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies."*



**Send To: 1T920**

Ms. Veunita Saxena  
Danone Waters of America, Inc.  
100 Hillside Avenue, 1st Floor  
White Plains, NY 10603

**Facility: 1T921**

Source Badoit  
42330 Saint Galmier  
France

---

**Result PASS**

Report Date 05-FEB-2015

---

Customer Name Danone Waters of America, Inc.  
Tested To USFDA CFR Title 21 Part 165.110  
Description Badoit Vert Sparkling Natural Mineral Water | Badoit Vert Sparkling Natural Mineral Water  
Test Type Annual Collection  
Job Number A-00165610  
Project Number 9993058 (CLAA)  
Project Manager Carla Silva Santos Marques

---

**Thank you for having your product tested by NSF International.**

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

**Report Authorization** *Kerri Levanseler*  
Kerri Levanseler - Director, Chemistry Laboratory

**Date** 05-FEB-2015

**General Information**

Standard: USFDA CFR Title 21 Part 165.110  
 Lot Number: 009, 012, 014  
 Product Description: Badoit Vert Sparkling Natural Mineral Water  
 Trade Name: Badoit Vert Sparkling Natural Mineral Water

Sample Id: **S-0001119329**  
 Description: Badoit Vert Sparkling Natural Mineral Water | Badoit Vert Sparkling Natural Mineral Water - 009 & 012  
 Sampled Date: 01/22/2015  
 Received Date: 01/21/2015

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Physical Quality</b>					
Alkalinity as CaCO3	5	1000		mg/LCaCO3	
Color	5	ND		Color Unit	
Specific Conductance	10	2000		umhos/cm	
Corrosivity	0	0-.21			
Hardness, Total	2	770		mg/LCaCO3	
Odor, Threshold	1	ND		TON	
Solids Total Dissolved	5	1200		mg/L	
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	6.05			
Temperature	0	20		deg. C	
Bicarbonate	5	1200		mg/L HCO3	
<b>Disinfection Residuals/Disinfection By-Products</b>					
Bromate	10	ND	10	ug/L	Pass
Chloramine, Total	0.05	ND	4	mg/L	Pass
Dichloramine	0.05	ND		mg/L	
Monochloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chlorite	25	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Bromochloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Monochloroacetic Acid	2	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Trichloroacetic Acid	1	ND		ug/L	
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
<b>Radiologicals</b>					
Uranium	0.001	0.005	0.03	mg/L	Pass
<b>Inorganic Chemicals</b>					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.002	0.004	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)-Bureau Veritas					
Amphibole Fibers	0.2	ND		MFL	
Chrysotile Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	0.19	2	mg/L	Pass
Beryllium	0.0005	ND	0.004	mg/L	Pass
Bromide	10	140		ug/L	



Sample Id: S-0001119329

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Inorganic Chemicals</b>					
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.2	150		mg/L	
Chloride	2	56		mg/L	
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.01	ND	0.2	mg/L	Pass
Fluoride	0.1	1.1	1.4	mg/L	Pass
Iron	0.02	ND		mg/L	
Lead	0.001	ND	0.005	mg/L	Pass
Magnesium	0.2	95		mg/L	
Manganese	0.001	ND		mg/L	
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.001	0.001	0.1	mg/L	Pass
Nitrogen, Nitrate	0.05	0.81	10	mg/L N	Pass
Nitrogen, Nitrite	0.025	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	0.81	10	mg/L	Pass
Potassium	0.5	5.7		mg/L	
Selenium	0.002	0.004	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	5	180		mg/L	
Sulfate as SO4	0.5	33		mg/L	
Surfactants (MBAS)	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND		mg/L	
<b>Organic Chemicals</b>					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	5	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	10	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
3-Hydroxycarbofuran					
Aldicarb	1	ND		ug/L	
Aldicarb sulfone	1	ND		ug/L	
Aldicarb sulfoxide	1	ND		ug/L	
Carbaryl	1	ND		ug/L	
Carbofuran	1	ND	40	ug/L	Pass
Methomyl	1	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass
Herbicides (Ref: EPA 515.3)					
2,4,5-TP					
2,4,5-TP	0.2	ND	50	ug/L	Pass
2,4-D					
2,4-D	0.1	ND	70	ug/L	Pass
Bentazon					
Bentazon	0.2	ND		ug/L	



Sample Id: S-0001119329

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
Dalapon	1	ND	200	ug/L	Pass
DCPA Acid Metabolites	0.2	ND		ug/L	
Dicamba	0.1	ND		ug/L	
Dinoseb	0.2	ND	7	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
2,4 Dinitrotoluene	0.5	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Aldrin	0.1	ND		ug/L	
Atrazine	0.2	ND	3	ug/L	Pass
Benzo(a)Pyrene	0.1	ND	0.2	ug/L	Pass
bis(2-Ethylhexyl)adipate	2	ND	400	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	2	ND	6	ug/L	Pass
Butachlor	0.2	ND		ug/L	
Butylbenzylphthalate	2	ND		ug/L	
Di-n-butylphthalate	2	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
EPTC	0.5	ND		ug/L	
Heptachlor	0.1	ND	0.4	ug/L	Pass
Heptachlor Epoxide	0.1	ND	0.2	ug/L	Pass
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
Lindane	0.1	ND	0.2	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
Metolachlor	0.1	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Molinate	0.1	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Simazine	0.2	ND	4	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	



Sample Id: S-0001119329

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,3-Dichloropropane	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
2,2-Dichloropropane	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Bromobenzene	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
Bromodichloromethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
Bromomethane	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
Chlorobenzene	0.5	ND	100	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Chloroform	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
cis-1,3-Dichloropropene	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
Dichlorodifluoromethane	0.5	ND		ug/L	
Ethyl Benzene	0.5	ND	700	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
m+p-Xylenes	1	ND		ug/L	
Methyl Ethyl Ketone	5	ND		ug/L	
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
n-Butylbenzene	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
tert-Butylbenzene	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Toluene	0.5	ND	1000	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass





Sample Id: S-0001119329

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
<b>Organic Chemicals</b>					
trans-1,3-Dichloropropene	0.5	ND		ug/L	
Trichloroethylene	0.5	ND	5	ug/L	Pass
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
<b>Chlorinated Pesticides and Organohalides by EPA 508.1</b>					
Chlordane	0.1	ND	2	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
PCB 1016	0.1	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass
Toxaphene	0.1	ND	3	ug/L	Pass



<<Additional Information>>

Sample Id: S-0001119329

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Physical Quality</b>			
Alkalinity (Ref: SM 2320-B)	23-JAN-2015		
Color (Ref: SM 2120-B)	22-JAN-2015	9:20	
Specific Conductance (Ref: EPA 120.1)	22-JAN-2015		
Corrosivity (Ref: SM 2330-B)			
Hardness, Total (Ref: EPA 200.7)			
Odor, Threshold Number (Ref: EPA 140.1)	22-JAN-2015		
Solids, Total Dissolved (Ref: SM 2540-C)	22-JAN-2015		
Turbidity (Ref: EPA 180.1)	22-JAN-2015	09:45:00	
pH (Ref: SM4500-HB)	22-JAN-2015	09:18:42	
Bicarbonate (Ref: SM 2320-B)			
<b>Disinfection Residuals/Disinfection By-Products</b>			
Bromate (Ref: EPA 300.1)	30-JAN-2015		
<b>Test Notes</b> Higher reporting limit due to matrix interferences.			
Chloramines (Ref: SM 4500-Cl-G)	22-JAN-2015	09:36:00	
Chlorite (Ref: EPA 300.1)	30-JAN-2015		
<b>Test Notes</b> Higher reporting limit due to matrix interferences.			
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	22-JAN-2015	09:36:00	
Haloacetic Acids (Ref: EPA 552.2)	25-JAN-2015		23-JAN-2015
Chlorine, Total Residual (ref. SM 4500CL-G)	22-JAN-2015	09:36:00	
<b>Radiologicals</b>			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
<b>Inorganic Chemicals</b>			
Aluminum (Ref: EPA 200.8)	23-JAN-2015		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
# * Asbestos in Water (Ref: EPA 600/4-83/043,100.1)-Bureau Veritas	28-JAN-2015	11:26	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Bromide (Ref: EPA 300.1)	28-JAN-2015		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	23-JAN-2015		
Chloride (Ref: EPA 300.0)	23-JAN-2015		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		



<<Additional Information>>

Sample Id: S-0001119329

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Inorganic Chemicals</b>			
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Cyanide, Total (Ref: EPA 335.4)	23-JAN-2015		
Fluoride (Ref: SM 4500-F-C)	23-JAN-2015		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	23-JAN-2015		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	23-JAN-2015		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Nitrogen, Nitrate (Ref: EPA 300.0)	22-JAN-2015	12:14:00	
Nitrogen, Nitrite (Ref: EPA 300.0)	22-JAN-2015	12:14:00	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	23-JAN-2015		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	22-JAN-2015		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	23-JAN-2015		
Sulfate as SO4 (Ref: EPA 300.0)	23-JAN-2015		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	22-JAN-2015	14:26:00	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
* Phenolics, Total Recoverable (Based on EPA 420.2)	4-FEB-2015		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	23-JAN-2015		
<b>Organic Chemicals</b>			
Diquat (Ref: EPA 549.2)	23-JAN-2015		23-JAN-2015
Endothall (Ref: EPA 548.1) - (ug/L)	27-JAN-2015		27-JAN-2015
Glyphosate (Ref: EPA 547)	23-JAN-2015		
Perchlorate (Ref: EPA 314.0)	23-JAN-2015		
<b>Test Notes</b>			
Higher reporting limit due to sample matrix			
2,3,7,8-TCDD (Ref: EPA 1613B)	26-JAN-2015		26-JAN-2015
Carbamate Pesticides (Ref: 531.2)	23-JAN-2015		
Herbicides (Ref: EPA 515.3)	23-JAN-2015		22-JAN-2015
Semivolatile Organic Compounds (Ref: EPA 525.2)	27-JAN-2015		26-JAN-2015
Volatiles: EDB and DBCP (Ref: EPA 504.1)	31-JAN-2015		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	22-JAN-2015		



<<Additional Information>>

Sample Id: S-0001119329

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
<b>Organic Chemicals</b>			
Chlorinated Pesticides and Organohalides by EPA 508.1	2-FEB-2015		



**Testing Laboratories:**

Flag	Id	Address
All work performed at: (Unless otherwise specified)	NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105
#	BVNA	Bureau Veritas North America 3380 Chastain Meadows Pkwy 300 Kennesaw, GA 30144 Arizona License #AZ0675

**References to Testing Procedures:**

NSF Reference	Parameter / Test Description
C1010	Odor, Threshold Number (Ref: EPA 140.1)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)-Bureau Veritas
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3021	* Phenolics, Total Recoverable (Based on EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3166	Bicarbonate (Ref: SM 2320-B)
C3168	Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	Chloramines (Ref: SM 4500-CI-G)
C3170	Fluoride (Ref: SM 4500-F-C)



**References to Testing Procedures: ( Cont'd )**

<b>NSF Reference</b>	<b>Parameter / Test Description</b>
C3174	Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2)
C4202	Herbicides (Ref: EPA 515.3)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)
C4669	Chlorinated Pesticides and Organohalides by EPA 508.1

**Certifications:**

Arizona ( # AZ0655 )	California ( # 03214 CA )	Connecticut ( # PH-0625 )
Florida ( # E-87752 FL )	Hawaii	Indiana
Maryland ( # 201 )	Michigan ( # 0048 )	North Carolina ( # 26701 )
New Jersey ( # MI770 )	Nevada ( # MI000302010A )	New York ( # 11206 )
Pennsylvania ( # 68-00312 )	South Carolina ( # 81005 )	Virginia ( # 00045 )
Vermont ( # VT 11206 )		

Test descriptions preceded by an asterisk "\*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Specific Conductance and Total Residual Chlorine cannot be used for compliance purposes within the State of Arizona.

**Notes:**

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the reporting limit.
- 4) Product not evaluated for Total Dissolved Solids against the minimum FDA SOQ for the labeling of the product as Natural Mineral Water. Company is responsible for compliance with applicable regulatory requirements applicable to conducting commerce.

For a list of NSF International Method Detection Limits refer to [http://www.nsf.org/media/eneews/documents/minimum\\_detection\\_level\\_spreadsheet.pdf](http://www.nsf.org/media/eneews/documents/minimum_detection_level_spreadsheet.pdf).